SUBJECT INDEX

Absorption
  diffusion reaction, p. 537
  energy, p. 811
  moisture, pp. 198, 1035
Acetic anhydride, p. 372
Aluminum repair, p. 932
Analysis
  finite element, pp. 324, 600, 618, 910, 1048, 1078
  laminate, p. 729
  large deflection, pp. 261, 1048
  nonlinear, pp. 261, 1048
  numerical, pp. 600, 618, 772
  post-failure, p. 1078
  shear lag, p. 1078
  three-dimensional, p. 910
Analytical model, pp. 600, 618
Angle-ply strips, p. 1396
Anisotropy, pp. 179, 584, 838
APC-2, p. 146
Arbitrary lay-up angle, p. 1352
AS6/F584 fibers, p. 310
Autohesive bonding, p. 1142
Bifurcation point, p. 1352
Boltzmann superposition principle, p. 1187
Boron fiber composites, p. 838
Boundary-fitted coordinate, p. 772
Boundary layer effect, p. 584
Braided composites, pp. 600, 618
Buckling, p. 413
Burst pressure, p. 479
Carbon
  composites, p. 838
  epoxy, pp. 552, 633, 643, 708, 787
  fiber, pp. 3, 552
  polyphenylene laminate, p. 3
Ceramic composite, p. 243
CFRP, p. 179
Clearance-fit joint, p. 743
Collagen fibrils, p. 661
Composites, pp. 198, 211, 340, 395, 413, 460, 494, 567, 670, 811, 1003, 1035, 1251, 1367
bending strength, p. 1302
bonding and repair, p. 211
boron fiber, p. 838
braided, pp. 600, 618
brittle, p. 222
carbon fiber, p. 838
ceramic, p. 243
cylindrical, pp. 127, 1286
damage, pp. 198, 413, 1078, 1196
degradation, pp. 413, 1251
epoxy, p. 1176
failure, p. 684
fiber, pp. 32, 82, 932, 1035
flat braided, pp. 600, 618
glass fiber, pp. 600, 618, 838, 1093
glass/nylon, p. 811
graphite/epoxy, pp. 146, 310, 479, 743
holes, pp. 618, 910
hybrid, p. 1035
Kevlar/epoxy, p. 211
laminates, pp. 222, 296, 494, 584, 661, 684, 910, 968, 1078, 1111, 1431
materials, pp. 222, 310, 324, 633, 729, 772, 787, 1251, 1286, 1396
moisture absorption, pp. 198, 1035
multilayered, p. 419
nonlinear, p. 552
patching, p. 932
plates, pp. 1003, 1196
polymer, pp. 146, 1035
pressure vessel, p. 479
processing, p. 1142
PVC, p. 1093
reinforced, pp. 960, 1103, 1239
repair, pp. 729, 932
shells, p. 1251
springs, p. 567
stiffened plate, p. 1003
stitched, p. 633
tensile behavior, p. 600, 618
thermoplastic, pp. 3, 949, 1093, 1111, 1142
thermoset, pp. 949, 1111, 1322
thick, pp. 127, 340

SUBJECT INDEX

Absorption
  diffusion reaction, p. 537
  energy, p. 811
  moisture, pp. 198, 1035
Acetic anhydride, p. 372
Aluminum repair, p. 932
Analysis
  finite element, pp. 324, 600, 618, 910, 1048, 1078
  laminate, p. 729
  large deflection, pp. 261, 1048
  nonlinear, pp. 261, 1048
  numerical, pp. 600, 618, 772
  post-failure, p. 1078
  shear lag, p. 1078
  three-dimensional, p. 910
Analytical model, pp. 600, 618
Angle-ply strips, p. 1396
Anisotropy, pp. 179, 584, 838
APC-2, p. 146
Arbitrary lay-up angle, p. 1352
AS6/F584 fibers, p. 310
Autohesive bonding, p. 1142
Bifurcation point, p. 1352
Boltzmann superposition principle, p. 1187
Boron fiber composites, p. 838
Boundary-fitted coordinate, p. 772
Boundary layer effect, p. 584
Braided composites, pp. 600, 618
Buckling, p. 413
Burst pressure, p. 479
Carbon
  composites, p. 838
  epoxy, pp. 552, 633, 643, 708, 787
  fiber, pp. 3, 552
  polyphenylene laminate, p. 3
Ceramic composite, p. 243
CFRP, p. 179
Clearance-fit joint, p. 743
Collagen fibrils, p. 661
Composites, pp. 198, 211, 340, 395, 413, 460, 494, 567, 670, 811, 1003, 1035, 1251, 1367
bending strength, p. 1302
bonding and repair, p. 211
boron fiber, p. 838
braided, pp. 600, 618
brittle, p. 222
carbon fiber, p. 838
ceramic, p. 243
cylindrical, pp. 127, 1286
damage, pp. 198, 413, 1078, 1196
degradation, pp. 413, 1251
epoxy, p. 1176
failure, p. 684
fiber, pp. 32, 82, 932, 1035
flat braided, pp. 600, 618
glass fiber, pp. 600, 618, 838, 1093
glass/nylon, p. 811
graphite/epoxy, pp. 146, 310, 479, 743
holes, pp. 618, 910
hybrid, p. 1035
Kevlar/epoxy, p. 211
laminates, pp. 222, 296, 494, 584, 661, 684, 910, 968, 1078, 1111, 1431
materials, pp. 222, 310, 324, 633, 729, 772, 787, 1251, 1286, 1396
moisture absorption, pp. 198, 1035
multilayered, p. 419
nonlinear, p. 552
patching, p. 932
plates, pp. 1003, 1196
polymer, pp. 146, 1035
pressure vessel, p. 479
processing, p. 1142
PVC, p. 1093
reinforced, pp. 960, 1103, 1239
repair, pp. 729, 932
shells, p. 1251
springs, p. 567
stiffened plate, p. 1003
stitched, p. 633
tensile behavior, p. 600, 618
thermoplastic, pp. 3, 949, 1093, 1111, 1142
thermoset, pp. 949, 1111, 1322
thick, pp. 127, 340

three-phase, p. 537
unidirectional, pp. 310, 324
whisker-reinforced, p. 1176
Compression
failure, p. 127
molding, p. 372
post-impact, p. 1111
properties, p. 146
short-block, p. 787
strength, pp. 633, 787
Computational simulation, pp. 413, 1251
Corneal material, p. 661
Coupling agent, p. 1093
Cracking
fatigue, p. 932
matrix, pp. 158, 494, 1078, 1163, 1196
micro, p. 158
patching, p. 932
ply, p. 1111
repair, p. 932
transverse, pp. 56, 643, 708, 1163
Creep, pp. 567, 1187
Creep recovery test, p. 1187
Cross-ply plates, p. 261
C-scan, p. 1111
Cure
characteristics, p. 670
delayed, p. 670
epoxy resin, p. 939
shape, p. 1352
stress, residual, p. 1352
Curved boundary, p. 1003
Cyclic behavior, p. 243
Cylindrical bending, pp. 261, 1396
Damage
accumulation, p. 1286
circular, p. 211
composite, pp. 198, 413, 1078, 1196
growth, pp. 243, 1251
impact, p. 787
initiation, p. 1251
laminate, pp. 56, 395, 643, 708
mechanics, pp. 222, 494, 1103
modes, p. 1111
progression, pp. 1163, 1251
tolerance, pp. 56, 1111
Darcy's law, p. 772
DCP, p. 1376
Delamination, pp. 443, 494, 584, 643, 684, 897, 1111, 1163, 1196
Diffusion, pp. 537, 1035
Drop weight, p. 787
Eigenvalue problem, p. 1003
Elliptic paraboloid failure surface, pp. 32, 460
Embedded sensors, p. 949
Encapsulations, p. 537
Energy absorption, p. 811
Energy release rate, p. 158
EPDM, p. 1376
Epoxy
carbon, pp. 552, 633, 643, 708, 787
composites, p. 1176
glass fiber, pp. 708, 1187
graphite, pp. 146, 310, 479, 743
Kevlar composites, p. 211
resin, pp. 600, 618, 1176, 1239
S-glass, p. 443
EVA, p. 1376
Extrusion/pullout, p. 811
Failure
brittle, p. 1103
composite, pp. 684, 1196
compression, p. 127
criteria, p. 32
laminate, pp. 460, 643, 708
modes, pp. 32, 838, 1163
pressure, p. 479
process, p. 743
shear, differences in, p. 32
surface, elliptic parboloid, pp. 32, 460
tensor polynomials, p. 32
work, p. 811
Fatigue
behavior, p. 243
crack repair, p. 932
damage, p. 56
failure, p. 310
life, pp. 310, 932, 1286
mechanisms, p. 243
Fiber
angle, p. 552
anisotropy, p. 838
boron composites, p. 838
carbon composites, pp. 3, 552, 838
chopped, p. 811
collagen, p. 661
composites, pp. 32, 82, 811, 932
content, pp. 98, 939

(continued)

Subject Index (continued)
Fiber *(continued)*
fracture, pp. 310, 1239
glass composites, pp. 600, 618, 838, 1093, 1239, 1302
graphite, p. 1142
kinked, p. 633
misaligned, p. 838
orientation, pp. 179, 324
reinforced composite laminates, p. 1048
straightness, p. 552
waviness, pp. 552, 838
wood, pp. 372, 1093
Fiber/matrix interface, pp. 82, 98, 811, 838
Fiber reinforced plastic, p. 1187
Filament winding, pp. 98, 340, 567
Finite difference, p. 772
Finite element analysis, pp. 324, 567, 600, 618, 910, 1048, 1078, 1322
Finite elements, pp. 443, 968, 1003
Flexural modulus, p. 1176
Flow simulation, p. 772
Force integral equilibrium, p. 584
Fracture
energy, p. 897
fiber, pp. 310, 811, 1239, 1251
intralaminar, p. 158
mechanics, pp. 198, 643, 708, 897, 1163, 1196
mixed-mode, p. 324
mode II, pp. 494, 897
process, pp. 600, 618
toughness, pp. 3, 158, 1142
Free edge effect, pp. 584, 1163
Friction, p. 1302
FRP laminates, p. 1035
Fusion bonding, p. 1142
GFRP laminates, p. 1127
Glass fiber composites, pp. 600, 618, 838, 1093, 1239, 1302
Glass/fiber epoxy, pp. 708, 1187
Glass transition temperature, p. 939
Global/local finite element analysis, p. 910
HD, p. 1376
Heat capacity, p. 939
Hertzian contact, p. 1196
High speed photography, p. 1127
Higher-order theory, p. 1048
Hybrid effect, p. 1093
Hybrid filler, p. 1093
Hydrostatic loading, p. 127
Hygrothermal environment, p. 1035
Hygrothermal exposure, pp. 3, 1035
Impact
ballistic, p. 1127
composites subjected to, pp. 395, 1111
damage, p. 787
low-velocity, p. 296
models, p. 296
scaling, p. 296
strength, p. 1239
Incremental finite element code, p. 743
Incremental loading, p. 552
Infrared thermography, p. 1367
Injection molding, pp. 372, 772, 811
Integrated ribs, p. 670
Interface convection coefficient, p. 1322
Interfacial bond strength, p. 98
Interlaminar stress, pp. 584, 910, 968
Interphase bond strength, p. 811
Interply bonding, p. 1142
Isocyanate, p. 1093
Isoparametric element, p. 1003
Isotropy, p. 1431
Kachanov-Rabotnov's damage evolution law, p. 1187
Knitting fabrics, p. 1239
Knockdown factors, p. 127
Laminates
analysis of, p. 729
antisymmetric, pp. 261, 1396
carbon fiber, p. 1111
central notch, p. 324
composite, pp. 222, 296, 413, 494, 584, 661, 684, 910, 968, 1078, 1127, 1251, 1431
damage, pp. 56, 395, 643, 708
design, pp. 222, 494, 684
edges, p. 584
failure, pp. 460, 643, 708
fiber-reinforced, p. 1048
FRP, p. 1035
GFRP, p. 1127
glass/epoxy, p. 56
graphite/epoxy, p. 1163
isotropic, pp. 460, 661
plate theory, classic, p. 584
quasi-isotropic, p. 1111

randomly oriented, p. 661
ranking, p. 684
residual strength, p. 1127
sandwich, p. 968
shells, pp. 340, 1048
sphere, p. 479
stiffened, pp. 552, 1003, 1078
theory, higher-order, p. 968
unsymmetric, p. 1352
warping, p. 1352
woven, p. 787
Large deflection analysis, pp. 261, 1048
Layer waviness, p. 127
Life prediction, p. 1286
Linear elastic fracture mechanics (LEFM), p. 1270
Load train alignment, p. 310
Macrography, p. 211
Maleic anhydride, p. 1093
Materials
composite, pp. 222, 310, 324, 633, 729, 772, 787, 1251, 1286, 1396
corneal, p. 661
orthotropic, p. 32
thick layer, p. 787
woven, p. 787
Matrix
cracking, pp. 158, 494, 1078, 1163, 1196
mass, p. 1003
polymeric, p. 567
stiffness, p. 1003
toughened, p. 643
Mechanical testing, p. 98
Mechanics
curved composite, p. 552
damage, pp. 222, 494
fracture, pp. 198, 643, 708, 897, 1270
rupture, p. 1103
Mesophase, p. 537
Microbuckling modeling, p. 838
Microcracking, p. 158
Microdebonding, p. 811
Microscopy, p. 1111
Microwave, p. 179
Millimetric wave, p. 179
Misaligned fibers, p. 838
Misorientation, p. 179
Mode II fracture, pp. 3, 897
Modelling, pp. 82, 104, 198
Models
analytical, p. 600
finite element, p. 1322
impact, p. 296
microbuckling, p. 838
nondimensional, p. 296
Molding
compression, p. 372
design, p. 772
injection, pp. 372, 772, 811
resin transfer, p. 772
sheet, p. 670
Na-silicate, p. 1093
Natural frequencies, pp. 413, 1003
Nondestructive evaluation, p. 1367
Nondestructive testing, p. 179
Nonlinear analysis, pp. 261, 1048
Notched tensile beam (NTB), p. 443
Numerical analysis, p. 772
Numerical simulation, p. 772
Optimization, pp. 661, 684
Orthotropic materials, p. 32
Particulate-filled polymers, p. 104
Peak exotherm, p. 670
Phenol formaldehyde, p. 372
Pin-bearing strength, p. 743
Plane stress, p. 661
Plastic recycling, p. 372
Polarization, p. 179
Polymer blend, p. 1376
Polymeric matrix, p. 567
Polynomials, failure tensor, p. 32
Polyolefins, p. 372
Polyphenylene sulfide, p. 3
Polypropylene, oriented, p. 1270
fracture properties, p. 1270
self-reinforcement, p. 1270
strength, p. 1270
Polysulfone, p. 1142
Porosity, p. 1367
Post-failure analysis, p. 1078
Prepreg, p. 179
Pressure
burst, p. 479
failure, p. 479
vessel, pp. 479, 567, 1251
Pullout/extrusion, p. 811
Pultrusion, p. 1322
PVC composites, p. 1093

(continued)

Subject Index (continued)
Radial keratotomy, p. 661
Rate-of-cure profile, p. 1322
Reinforcement, p. 198, 494, 787, 932, 1078, 1176
Repair
  aluminum, p. 932
  composite, pp. 729, 932
  crack, p. 932
  fatigue crack, p. 932
  structural, p. 932
Residual difference function, p. 1187
Resin
  epoxy, pp. 600, 618, 1176
  stiffness, p. 838
  transfer molding (RTM), pp. 772, 1302
Rubber coating, p. 811
Rule of mixtures, p. 838
Sandwich shells, p. 1048
Schapery nonlinear viscoelastic equation, p. 1187
SEM, pp. 811, 1376
S-500 glass/polyester, p. 743
S-glass/epoxy, p. 443
Shear bending coupling, p. 1396
Shear deformation, pp. 261, 838, 1003
Shear failure, p. 32
Shear lag analysis, p. 1078
Short-block compression, p. 787
Simulation
  computational, p. 413
  flow, p. 772
  numerical, p. 772
Single fiber experiment, p. 838
Sink mark, p. 670
SMC, p. 670
Snap-through phenomena, p. 1352
Stacking sequence, p. 584
Stiffeners, p. 1003
Stiffness matrix, p. 1003
Strain energy release rate, pp. 324, 443, 897
Strain gauges, p. 949
Strength
  bending, p. 1302
  bond, p. 811
  composite, p. 395
  compression, pp. 633, 787
  differential effect, p. 32
  flexural, p. 211
  laminate, pp. 310, 949, 1127
  pin-bearing, p. 743
  ratio, p. 479
  repair patch, p. 729
  tensile, pp. 104, 1302
  transverse, p. 1163
Stress
  distribution, p. 82
  functions, p. 584
  interlaminar, pp. 127, 584, 910, 968
  plane, p. 661
  transverse, p. 968
Structure
  degradation, p. 1251
  durability, p. 1251
  integrity, pp. 413, 1251
  repair, p. 932
  response, p. 413
  sub-, p. 670
St. Venant's principle, p. 584
Surface loop, p. 633
Terminal momentum, p. 1127
Textile composite materials, p. 633
Theory
  classic plate, p. 584
  constitutive, p. 494
  higher order, pp. 968, 1048
  refined, p. 1048
Thermocouples, p. 949
Thermography, p. 1367
Thermoplastic composites, pp. 3, 949, 1078, 1111, 1142
Thermoset composites, pp. 949, 1111, 1322
Thick layer material, p. 787
Three-dimensional analysis, p. 910
Through-the-thickness reinforcement, p. 787
Traction continuity, p. 584
Transverse cracking, pp. 56, 643, 708
Transverse loads, p. 1196
Tufting, p. 633
Ultrasonic NDE, p. 1111
Unidirectional composites, pp. 310, 324
VA, p. 1376
Vibration, pp. 413, 1003
Vinyl ester, p. 1302
Viscoelasticity, pp. 567, 1187

Viscoplasticity, p. 1187
Void content, p. 838
Water sorption, p. 372
Waviness
  fiber, pp. 552, 838
  layer, p. 127
  measurement, p. 552
Wear resistance, p. 1176
Weibull statistics, p. 1302
Wood fiber, pp. 372, 1093

AUTHOR INDEX

Aditya, P. K., p. 1035
Ait-Kadi, A., p. 372
Bakos, D., p. 104
Berglund, L. A., pp. 98, 643, 708
Binienda, W. K., p. 324
Bonora, N., p. 56
Breslauer, M., p. 949
Cairns, D. S., p. 395
Cameron, J., pp. 939, 1176
Chamis, C. C., pp. 413, 1251
Chattopadhyay, B., p. 1003
Chen, J. R., p. 3
Chen, W.-H., p. 743
Chim, E. S.-M., p. 838
Chou, S., p. 1239
Chow, C. L., pp. 222, 494
Chtourou, H., p. 372
Civelek, T. S., p. 1286
Connolly, M. P., p. 1367
Crane, D. A., p. 552
Das, C. K., p. 1376
Dickinson, L. C., p. 633
Farley, G. L., pp. 633, 787
Finn, S. R., p. 1196
Fujita, A., pp. 600, 618
Gauvin, R., p. 772
Ghosh, M. K., p. 1376
Gorji, M., pp. 261, 1396
Griffin, O. H., Jr., p. 910
Hackett, R. M., pp. 567, 1322
Hamada, H., pp. 600, 618
Haque, A., p. 146
Harbert, S. J., p. 443
He, Y.-F., p. 1196
Hinkley, J. A., p. 1111
Hoa, S. V., p. 3
Hogan, H. A., p. 443
Holmberg, J. A., p. 1302
Hong, C. S., pp. 1078, 1352
Hsu, J. M., p. 584
Huang, T., p. 661
Hyer, M. W., p. 127
Issac, J. C., p. 684
Jackson, W. C., p. 1111
Jao, S.-H., p. 811
Jarneteg, A., p. 98
Jeelani, S., p. 146
Jen, K. C., p. 1163
Jen, M.-H. R., p. 584
Jenq, S. T., p. 1127
Jun, W. J., p. 1352
Kant, T., pp. 968, 1048
Kao, P. W., p. 584
Kau, Y. S., p. 584
Kia, H. G., p. 670
Kim, K.-S., p. 949
Kim, Y. W., p. 1078
Kinloch, A. J., p. 729
Kishore, p. 211
Kokta, B. V., p. 1093
Kommineni, J. R., p. 1048
Kortschot, M. T., p. 1270
Lagace, P. A., p. 395
Lee, Y.-J., p. 743
Li, M.-C., p. 1142
Lin, S., p. 3
Liu, S., p. 158
Lo, K. H., p. 838
Loos, A. C., p. 1142
Lu, T. J., p. 494
Macek, R. W., p. 567
Maekawa, Z., pp. 600, 618
Maiden, J., p. 787
Maldas, D., p. 1093
Mall, S., p. 243
Manjunatha, B. S., p. 968
Marchetti, M., p. 56
Massard, T. N., p. 479
Matthews, F. L., p. 729
McCammond, D., p. 1270
McGarry, F. J., p. 811

(continued)

Author Index (continued)
Milella, P. P., p. 56
Minnetyan, L., p. 413, 1251
Mukhopadhyay, M., p. 1003
Murthy, P. L. N., pp. 413, 1251
Nahas, M. N., p. 932
Nairn, J. A., p. 158
Norman, T. L., p. 1286
Padmanabhan, K., p. 211
Papanicolaou, G. C., pp. 82, 104
Philippidis, T. P., p. 460
Pickles, C. A., p. 1176
Pournaras, A. V., p. 82
Prucz, J., pp. 198, 1286
Rai, H. G., p. 552
Rao, K. P., p. 684
Razvan, A., p. 310
Reddy, E. S., p. 324
Reifsnider, K. L., p. 310
Riedl, B., p. 372
Robson, J. E., p. 729
Rogers, C. W., p. 552
Roy, A. K., p. 479
Sankar, B. V., p. 296
Sharma, B. B., pp. 960, 1103
Sharma, R., pp. 960, 1103
Sheu, L. T., p. 1127
Simonds, R. A., p. 310
Sinclair, L. A., p. 1270
Sinha, P. K., pp. 1003, 1035
Smith, B. T., pp. 787, 1111
Springer, G. S., pp. 949, 1196
Srinivasan, K., p. 1111
Stinchcomb, W. W., p. 310
Sun, C. T., p. 1163
Telegadas, H. K., p. 127
Theocaris, P. S., pp. 32, 460, 537
Thompson, D. M., p. 910
Tracy, G. D., p. 243
Tripathy, A. R., p. 1376
Trochu, F., p. 772
Upadhyay, P. C., p. 198
Urabe, K., p. 179
Varna, J., pp. 643, 708
Wang, S. B., p. 1127
Wisnom, M. R., p. 897
Wu, C.-J., p. 1239
Xiang, X. Y., p. 1187
Yang, F., p. 222
Yeh, H.-L., pp. 661, 1431
Yeh, H.-Y., pp. 661, 1431
Yokoyama, A., pp. 600, 618
Yuan, F. G., p. 340
Yuan, J., p. 643
Zhang, S. Y., p. 1187
Zhang, Y., pp. 939, 1176
Zhu, S.-Z., p. 1322